

IN THE SPECIFICATION

Please amend the paragraph beginning at page 29, line 1, as follows:

[0001]

TABLE 4-3

	Comparative Examples			
	10	11	12	13
<u>Blending ratio (wt%)</u>				
Base oil SN3 <u>1</u>	99.5			
Base oil MN1 <u>2</u>		99.5		
Base oil MO2 <u>3</u>			99.5	
Base oil SP3 <u>4</u>				99.5
Additive 1				
Additive 2				
Additive 3				
Additive 4	0.5	0.5	0.5	0.5
<u>Experimental results</u>				
Traction coefficient at 100°C	0.1020	0.0555	0.0121	0.0050
<u>Total friction coefficient</u>				
Immediately after initiation of the test	0.135	0.123	0.122	0.12
After 60 min from initiation of the test	0.098	0.093	0.09	0.084
Wear width in block (mm)	1.15	1.04	1.11	1.13